







1-STEP MACADAM 2216 LED STRIP



Abmessungen/Dimensions	5000mm
Leuchtmittel/Light source	SMD 2216
Lichtstrom /Luminous Flux	150 – 3200lm/m
Leistung/Wattage	4.8W/m
Anzahl LEDs/LED Qty	60, 120, 180, 240, 300LED/m 480LED/m Double-Row
IP-Schutzart/IP-Protection	IP20, IP67
Schutzklasse/Protection Class	III



Artikelnummer Article Number	IP IP	LEDs/m LED s/m	CRI CRI	Teilungsmaß Cutting unit	Leistung Wattage	PCB Breite PCB Width	Farbe Color	Lichtstrom Luminous Flux
Constant Current Strips								
P2216Y060CM-27	IP20	60LED/m	CRI>90	100mm	4.8W/m	10mm	2700K	340lm/m
P2216Y060CM-30	IP20	60LED/m	CRI>90	100mm	4.8W/m	10mm	3000K	360lm/m
P2216Y060CM-40	IP20	60LED/m	CRI>90	100mm	4.8W/m	10mm	4000K	380lm/m
P2216Y060CM-50	IP20	60LED/m	CRI>90	100mm	4.8W/m	10mm	5000K	400lm/m
P2216Y060CM-60	IP20	60LED/m	CRI>90	100mm	4.8W/m	10mm	6000K	420lm/m
P2216Z060CM-27	IP67	60LED/m	CRI>90	100mm	4.8W/m	12mm	2700K	330lm/m
P2216Z060CM-30	IP67	60LED/m	CRI>90	100mm	4.8W/m	12mm	3000K	350lm/m
P2216Z060CM-40	IP67	60LED/m	CRI>90	100mm	4.8W/m	12mm	4000K	365 lm/m
P2216Z060CM-50	IP67	60LED/m	CRI>90	100mm	4.8W/m	12mm	5000K	375 lm/m
P2216Z060CM-60	IP67	60LED/m	CRI>90	100mm	4.8W/m	12mm	6000K	405 lm/m
P2216Y120CM-27	IP20	120LED/m	CRI>90	50mm	9.6W/m	10mm	2700K	700lm/m
P2216Y120CM-30	IP20	120LED/m	CRI>90	50mm	9.6W/m	10mm	3000K	730lm/m
P2216Y120CM-40	IP20	120LED/m	CRI>90	50mm	9.6W/m	10mm	4000K	760lm/m
P2216Y120CM-50	IP20	120LED/m	CRI>90	50mm	9.6W/m	10mm	5000K	810lm/m
P2216Y120CM-60	IP20	120LED/m	CRI>90	50mm	9.6W/m	10mm	6000K	840lm/m
P2216Z120CM-27	IP67	120LED/m	CRI>90	50mm	9.6W/m	12mm	2700K	680lm/m
P2216Z120CM-30	IP67	120LED/m	CRI>90	50mm	9.6W/m	12mm	3000K	710lm/m
P2216Z120CM-40	IP67	120LED/m	CRI>90	50mm	9.6W/m	12mm	4000K	740lm/m

1-STEP MACADAM 2216 LED STRIP

Artikelnummer Article Number	IP IP	LED s/m LED s/m	CRI CRI	Teilungsmaß Cutting unit	Leistung Wattage	PCB Breite PCB Width	Farbe Color	Lichtstrom Luminous Flux
P2216Z120CM-50	IP67	120LED/m	CRI>90	50mm	9.6W/m	12mm	☐ 5000K	810lm/m
P2216Z120CM-60	IP67	120LED/m	CRI>90	50mm	9.6W/m	12mm	☐ 6000K	815 lm/m
Constant Voltage Strips								
P2216Y060M-27	IP20	60LED/m	CRI>90	100mm	4.8W/m	8mm	☐ 2700K	340lm/m
P2216Y060M-30	IP20	60LED/m	CRI>90	100mm	4.8W/m	8mm	☐ 3000K	360lm/m
P2216Y060M-40	IP20	60LED/m	CRI>90	100mm	4.8W/m	8mm	☐ 4000K	380lm/m
P2216Y060M-50	IP20	60LED/m	CRI>90	100mm	4.8W/m	8mm	☐ 5000K	400lm/m
P2216Y060M-60	IP20	60LED/m	CRI>90	100mm	4.8W/m	8mm	☐ 6000K	420lm/m
P2216Z060M-27	IP67	60LED/m	CRI>90	100mm	4.8W/m	10mm	☐ 2700K	330lm/m
P2216Z060M-30	IP67	60LED/m	CRI>90	100mm	4.8W/m	10mm	☐ 3000K	350lm/m
P2216Z060M-40	IP67	60LED/m	CRI>90	100mm	4.8W/m	10mm	☐ 4000K	365 lm/m
P2216Z060M-50	IP67	60LED/m	CRI>90	100mm	4.8W/m	10mm	☐ 5000K	375 lm/m
P2216Z060M-60	IP67	60LED/m	CRI>90	100mm	4.8W/m	10mm	☐ 6000K	405 lm/m
P2216Y120M-27	IP20	120LED/m	CRI>90	50mm	9.6W/m	8mm	☐ 2700K	700lm/m
P2216Y120M-30	IP20	120LED/m	CRI>90	50mm	9.6W/m	8mm	☐ 3000K	730lm/m
P2216Y120M-40	IP20	120LED/m	CRI>90	50mm	9.6W/m	8mm	☐ 4000K	760lm/m
P2216Y120M-50	IP20	120LED/m	CRI>90	50mm	9.6W/m	8mm	☐ 5000K	810lm/m
P2216Y120M-60	IP20	120LED/m	CRI>90	50mm	9.6W/m	8mm	☐ 6000K	840lm/m
P2216Z120M-27	IP67	120LED/m	CRI>90	50mm	9.6W/m	10mm	☐ 2700K	680lm/m
P2216Z120M-30	IP67	120LED/m	CRI>90	50mm	9.6W/m	10mm	☐ 3000K	710lm/m
P2216Z120M-40	IP67	120LED/m	CRI>90	50mm	9.6W/m	10mm	☐ 4000K	740lm/m
P2216Z120M-50	IP67	120LED/m	CRI>90	50mm	9.6W/m	10mm	☐ 5000K	790lm/m
P2216Z120M-60	IP67	120LED/m	CRI>90	50mm	9.6W/m	10mm	☐ 6000K	815 lm/m
P2216Y180M-27	IP20	180LED/m	CRI>90	33,3mm	14.4W/m	8mm	☐ 2700K	1000lm/m
P2216Y180M-30	IP20	180LED/m	CRI>90	33,3mm	14.4W/m	8mm	☐ 3000K	1100lm/m
P2216Y180M-40	IP20	180LED/m	CRI>90	33,3mm	14.4W/m	8mm	☐ 4000K	1200lm/m
P2216Y180M-50	IP20	180LED/m	CRI>90	33,3mm	14.4W/m	8mm	☐ 5000K	1250lm/m
P2216Y180M-60	IP20	180LED/m	CRI>90	33,3mm	14.4W/m	8mm	☐ 6000K	1300lm/m
P2216Z180M-27	IP67	180LED/m	CRI>90	33,3mm	14.4W/m	10mm	☐ 2700K	970lm/m
P2216Z180M-30	IP67	180LED/m	CRI>90	33,3mm	14.4W/m	10mm	☐ 3000K	1070lm/m
P2216Z180M-40	IP67	180LED/m	CRI>90	33,3mm	14.4W/m	10mm	☐ 4000K	1165 lm/m
P2216Z180M-50	IP67	180LED/m	CRI>90	33,3mm	14.4W/m	10mm	☐ 5000K	1200lm/m
P2216Z180M-60	IP67	180LED/m	CRI>90	33,3mm	14.4W/m	10mm	☐ 6000K	1260lm/m
P2216Y240M-27	IP20	240LED/m	CRI>90	25mm	19.2W/m	10mm	☐ 2700K	1350lm/m
P2216Y240M-30	IP20	240LED/m	CRI>90	25mm	19.2W/m	10mm	☐ 3000K	1400lm/m
P2216Y240M-40	IP20	240LED/m	CRI>90	25mm	19.2W/m	10mm	☐ 4000K	1500lm/m
P2216Y240M-50	IP20	240LED/m	CRI>90	25mm	19.2W/m	10mm	☐ 5000K	1550lm/m
P2216Y240M-60	IP20	240LED/m	CRI>90	25mm	19.2W/m	10mm	☐ 6000K	1600lm/m
P2216Z240M-27	IP67	240LED/m	CRI>90	25mm	19.2W/m	12mm	☐ 2700K	1310lm/m
P2216Z240M-30	IP67	240LED/m	CRI>90	25mm	19.2W/m	12mm	☐ 3000K	1360lm/m
P2216Z240M-40	IP67	240LED/m	CRI>90	25mm	19.2W/m	12mm	☐ 4000K	1450lm/m
P2216Z240M-50	IP67	240LED/m	CRI>90	25mm	19.2W/m	12mm	☐ 5000K	1500lm/m
P2216Z240M-60	IP67	240LED/m	CRI>90	25mm	19.2W/m	12mm	☐ 6000K	1550lm/m

1-STEP MACADAM 2216 LED STRIP

Artikelnummer Article Number	IP IP	LED s/m LED s/m	CRI CRI	Teilungsmaß Cutting unit	Leistung Wattage	PCB Breite PCB Width	Farbe Color	Lichtstrom Luminous Flux
P2216Y300M-27	IP20	300LED/m	CRI>90	20mm	18W/m	10mm	2700K	1700lm/m
P2216Y300M-30	IP20	300LED/m	CRI>90	20mm	18W/m	10mm	3000K	1800lm/m
P2216Y300M-40	IP20	300LED/m	CRI>90	20mm	18W/m	10mm	4000K	1850lm/m
P2216Y300M-50	IP20	300LED/m	CRI>90	20mm	18W/m	10mm	5000K	1900lm/m
P2216Y300M-60	IP20	300LED/m	CRI>90	20mm	18W/m	10mm	6000K	2000lm/m
P2216Y480M-27	IP20	480LED/m Double-Row	CRI>90	25mm	38.4W/m	15mm	2700K	2750lm/m
P2216Y480M-30	IP20	480LED/m Double-Row	CRI>90	25mm	38.4W/m	15mm	3000K	2800lm/m
P2216Y480M-40	IP20	480LED/m Double-Row	CRI>90	25mm	38.4W/m	15mm	4000K	2900lm/m
P2216Y480M-50	IP20	480LED/m Double-Row	CRI>90	25mm	38.4W/m	15mm	5000K	3000lm/m
P2216Y480M-60	IP20	480LED/m Double-Row	CRI>90	25mm	38.4W/m	15mm	6000K	3200lm/m
P2216Y060M4-27	IP20	60LED/m	CRI>90	100mm	4.8W/m	4mm	2700K	340lm/m
P2216Y060M4-30	IP20	60LED/m	CRI>90	100mm	4.8W/m	4mm	3000K	360lm/m
P2216Y060M4-40	IP20	60LED/m	CRI>90	100mm	4.8W/m	4mm	4000K	380lm/m
P2216Y060M4-50	IP20	60LED/m	CRI>90	100mm	4.8W/m	4mm	5000K	400lm/m
P2216Y060M4-60	IP20	60LED/m	CRI>90	100mm	4.8W/m	4mm	6000K	420lm/m
P2216Y120M4-27	IP20	120LED/m	CRI>90	50mm	9.6W/m	4mm	2700K	700lm/m
P2216Y120M4-30	IP20	120LED/m	CRI>90	50mm	9.6W/m	4mm	3000K	730lm/m
P2216Y120M4-40	IP20	120LED/m	CRI>90	50mm	9.6W/m	4mm	4000K	760lm/m
P2216Y120M4-50	IP20	120LED/m	CRI>90	50mm	9.6W/m	4mm	5000K	800lm/m
P2216Y120M4-60	IP20	120LED/m	CRI>90	50mm	9.6W/m	4mm	6000K	840lm/m
P2216Y180M4-27	IP20	180LED/m	CRI>90	33,3mm	14.4W/m	4mm	2700K	1000lm/m
P2216Y180M4-30	IP20	180LED/m	CRI>90	33,3mm	14.4W/m	4mm	3000K	1100lm/m
P2216Y180M4-40	IP20	180LED/m	CRI>90	33,3mm	14.4W/m	4mm	4000K	1200lm/m
P2216Y180M4-50	IP20	180LED/m	CRI>90	33,3mm	14.4W/m	4mm	5000K	150lm/m
P2216Y180M4-60	IP20	180LED/m	CRI>90	33,3mm	14.4W/m	4mm	6000K	1300lm/m